

FUNDAMENTAL PROGRAMMING TECHNIQUES

ASSIGNMENT 1 – SUPPORT PRESENTATION (PART 2)



Graphical User Interfaces Development using Swing

- SWING API [\[Link\]](#)
 - Is part of the Java Foundation Classes (JFC)
 - Offers facilities to write applications with a graphical user interface
 - Includes 17 packages consisting of classes and interfaces
- **javax.swing** - Is the most important package from Swing

Component Type	Examples
Atomic components	JLabel, JButton, JCheckBox, JRadioButton, JToggleButton, JScrollBar, JSlider
Complex components	JTable, JTree, JComboBox, JList, JFileChooser, JColorChooser, JOptionPane
Text components	JTextField, JPasswordField, JTextArea, JEditorPane, JTextPane
Menus	JMenuBar, JMenu, JPopupMenu, JMenuItem, CheckboxMenuItem, JRadioButtonMenuItem
Intermediate containers	JPanel, JTabbedPane, JDesktopPane
Top level containers	JFrame, JDialog

Graphical User Interfaces Development using Swing

- Example – students management application



GOOD TO KNOW – TOP-LEVEL CONTAINERS [\[Link\]](#)

The graphical components must be included in a containment hierarchy having a top-level container (e.g. JFrame, JDialog) as root. In particular, the graphical components will be contained in the content pane of the top-level container. A menu bar can be included in a top-level container, but it will reside outside the content pane. To create and set up a frame, the following steps should be performed:

- Create the frame by instantiating the *JFrame* class.
- Create components and add them to the frame's content pane.
- Size the frame manually (using the *setSize* method), or automatically (using the *pack* method).
- Show the frame onscreen (using the *setVisible* method).

To get the content pane of a JFrame component, the method *getContentPane* defined in the *JFrame* class is used. There are 2 approaches for setting the content pane of a JFrame component:

1) Use the method *getContentPane()* defined in the *JFrame* class to get the frame's content pane and add various components to it: **`mainFrame.getContentPane().add(tablePanel);`**

Note: `mainframe.add(tablePanel)` can also be used as the add method has been overridden and it actually adds tablePanel to the frame's content pane

2) Use the JFrame's *setContentPane* method to make another component the content pane of the frame:

```
JPanel contentPanePanel = new JPanel();
// add other graphical components to contentPanePanel
...
mainFrame.setContentPane(contentPanePanel);
```

Graphical User Interfaces Development using Swing

- Example – students management application

```
private void prepareGUI() {  
    JFrame mainWindow = new JFrame("Students Management Application");  
    mainWindow.setSize(500, 500);  
    mainWindow.addWindowListener(new WindowAdapter() {  
        @Override  
        public void windowClosing(WindowEvent e) {  
            System.exit(0);  
        }  
    });  
    JPanel contentPane = new JPanel(new GridLayout(2, 1));  
    prepareTablePanel();  
    prepareInsertPanel();  
    mainWindow.setContentPane(contentPane);  
    mainWindow.setVisible(true);  
}
```

The `setSize` method is used to explicitly set the size of the frame.

Adds a window listener to receive window events from the `JFrame` component. In this case, once the frame is closed, the application is exited.

`GridLayout` is used as the *Layout Manager* of the `contentPane` `JPanel` which serves as the content pane of the frame. `GridLayout` organizes the graphical components on rows and columns, setting the same size for all components.

The `setVisible(true)` method is used to make the frame appear onscreen.

The `contentPane` `JPanel` component is set as the content pane of the frame. All other graphical components will be contained in it.

```
private void prepareTablePanel(){  
    JPanel tablePanel = new JPanel();  
    tablePanel.setLayout(new BorderLayout(tablePanel, BorderLayout.PAGE_AXIS));  
    DefaultTableModel defaultTableModel = new DefaultTableModel();  
    defaultTableModel.addColumn("Student name");  
    defaultTableModel.addColumn("Teacher name");  
    defaultTableModel.addColumn("Thesis title");  
    defaultTableModel.addRow(new Object[] {"John Smith", "Jane Black", "E-commerce application using React and Spring"});  
    JTable studentsTable = new JTable(defaultTableModel);  
    JScrollPane scrollPane = new JScrollPane(studentsTable);  
    studentsTable.setFillsViewportHeight(true);  
    this.tablePanel.add(scrollPane);  
    contentPane.add(tablePanel);  
}
```

`BoxLayout` is used as the *Layout Manager* of `tablePanel` in order to organize the contained graphical components on top of each other.

A `DefaultTableModel` object uses a `Vector` of `Vectors` to store the cell value objects of a `JTable` component.

The `JScrollPane` object is used as a container for the `JTable` Component and automatically places the table's header at the top and they remain visible even when the table data is scrolled. If a `JScrollPane` is not used, then the table's header must be manually placed in the container.

The `tablePanel` is added to the content pane of the frame.

Graphical User Interfaces Development using Swing

- Layout Managers are used to organize graphical components in containers. The following Layout Managers can be used [\[Link\]](#):
 - a) BorderLayout – places the components in 5 areas: top, bottom, left, right, and centre.
 - b) BoxLayout – places the components on a row or on a column.
 - c) CardLayout – enables the implementation of an area that contains different components at different times.
 - d) FlowLayout – places the components in a single row.
 - e) GridBagLayout – places the components in a grid of cells, allowing the spanning and sizing of components over multiple cells.
 - f) GridLayout – sets equal sizes for the components and places them in the requested number of rows and columns.